JOURNAL OF COATINGS TECHNOLOGY

Annual Index

Volume 66
Numbers 828-839
January—December, 1994

Journal of Coatings Technology
1994 Annual Index

Keyword Subject Index

Additives

Defoamer ..... Feb., p. 47
Dispersants ..... Sept., p. 93; Sept., p. 99
Driers ..... July, p. 63
Fouling (Anti-) ..... July, p. 63
Hindered Amine Light Stabilizers (HALS) ..... Aug., p. 57
Silicones ..... Feb., p. 47; Sept., p. 107
Surfactants ..... Jan., p. 99; Feb., p. 47; Aug., p. 67; Sept. p. 99
Thickener ..... Sept., p. 99

Analysis

Accelerated Tests ..... Aug., p. 85; Oct., p. 49
Atomic Force Microscopy ..... Nov., p. 19
Chemical ..... Oct., p. 27
Coating Hardness ..... Feb., p. 55
Conductive Energy ..... Apr., p. 23
Convective Energy ..... Apr., p. 23
Convocal Laser Microscopy ..... Nov., p. 19
Corrosion Resistance ..... Oct., p. 49
Curing ..... Apr., p. 23
Differential Scanning Calorimetry ..... Apr., p. 23; Apr., p. 39; June, p. 59
Dynamic Contact Angle ..... May, p. 55
Dynamic Mechanical Analysis ..... May, p. 27
Electric IR Curing ..... Apr. p. 23
Electrochemical Impedance Spectroscopy ..... July, p. 59
Failure Anaysis ..... Feb., p. 23
Fourier Transform Infrared Spectroscopy Feb., p. 39; Apr., p. 39; July, p. 39
Glass Transition Temperature ..... June, p. 83
Image ..... July, p. 51
Impedance ..... Aug., p. 85; Dec., p. 81
Indention Hardness ..... Feb., p. 55
Internal Refection Spectroscopy ..... July, p. 39
Kinetic Study ..... June, p. 59
Luminescence Spectroscopy ..... Mar., p. 47
Outdoor Exposure ..... Aug., p. 85; Oct., p. 49
Penetration Hardness ..... Feb., p. 55
Pfund Hardness ..... Feb., p. 55
Photoacoustic FTIR ..... Apr., p. 23; Dec., p. 59
Scanning Acoustic Microscopy ..... Nov., p. 19
Small Angle Neutron Scattering ..... Mar., p. 47
Small Angle X-Ray Scattering ..... Mar., p. 47
Surface ..... July, p. 51
Sward Rocker ..... Feb., p. 54
Tensile Tests ..... May, p. 27
Thermal Desorption-Gas Chromatography/ Mass Spectrometry ..... Oct., p. 27
Thermal Radiation Heat Transfer ..... Apr., p. 23
Thermally Stimulated Current ..... Aug., p. 79
Urethane Curing ..... Dec., p. 59
UV/VIS Spectroscopy ..... Feb., p., 39
Weathering ..... Jan., p. 109

Biologicals

Fouling ..... Oct., p. 21
Microorganisms ..... Oct., p. 21

Chemical Compounds

Copper Complex ..... July, p. 63
Triazoles ..... July, p. 63

Chemical Process

Aging ..... June, p. 83
Corrosion ..... Apr., p. 47; July, p. 28; July, p. 59; July, p. 63; Aug., p. 85; Oct., p. 39; Dec., p. 81
Degradation ..... July, p. 51
Deposition ..... Dec., p. 89
Weathering ..... June, p. 83; July, p. 28; Oct., p. 49

Coatings Components

Acrylic ..... Jan., p. 99; June, p. 83
Acrylic Emulsion ..... Mar., p. 47
Alkyd ..... Apr., p. 47; May, p. 37; Oct., p. 39; Nov., p. 37
Dispersant ..... Sept., p. 93
Emulsifier ..... May, p. 37
Epoxidized Polybutadiene ..... Nov., p. 27
Epoxy ..... Oct., p. 21
Isocyanate (Poly) ..... Dec., p. 67
Latex ..... Jan., p. 99; Aug., p. 67; Sept., p. 99
Melamine ..... June, p. 75; June, p. 83; Dec., p. 73
Naphthenic Acid Ester ..... Sept., p. 93
Sulphur Dioxide ..... Apr., p. 39; Oct., p. 39
Urethane (Poly) ..... June, p. 83; Dec., p. 89
Vinyl Acrylic ..... Jan., p. 99
Vinyl Ether ..... Nov., p. 19

Coatings

Acrylics ..... Jan., p. 99
Adhesion ..... Jan., p. 109; Aug., p. 79; Aug., p. 85; Nov., p. 43; Dec., p. 59
Appearance ..... Jan., p. 93
Aqueous ..... Sept., p. 93; Nov., p. 43
Automotive ..... Aug., p. 57; Sept., p. 93; Oct., p. 27

Barrier ..... Apr., p. 47
Basecoat/Clearcoat ..... Aug., p. 57
Bond Strength ..... Jan., p. 109
Characterization ..... May, p. 27
Clearcoat ..... June, p. 83
Container ..... Mar., p. 41
Core ..... Jan., p. 99
Corrosion (Anti-) ..... Apr., p. 47; July, p. 28; July, p. 59; July, p. 63; Aug., p. 85; Oct., p. 49; Nov., p. 43; Dec., p. 81
Cost ..... Apr., p. 47
Critical Pigment Volume Concentration ..... Aug., p. 79
Crosslink Density ..... Nov., p. 19
Crosslinking ..... June, p. 63
Defects, Defect Characterization ..... Feb., p. 23; Sept., p. 107; Nov., p. 19
Degradation ..... July, p. 51; Oct., p. 27
Design of Experiments ..... Mar., p. 65; Apr., p. 55
Durability ..... Jan., p. 109; July, p. 28; Aug., p. 57
Epoxy ..... July, p. 59
Finish ..... Sept., p. 107
Flame Retardant ..... Dec., p. 73
Flexibility ..... Mar., p. 41
Foaming ..... Feb., p. 47; Mar., p. 57
Formability ..... Mar., p. 41
Fouling (Anti-) ..... July, p. 63
Gloss ..... Jan., p. 93; May, p. 47; Sept., p. 99
Hardness ..... Feb., p. 54; Feb., p. 55
High Solids ..... June, p. 75; Sept., p. 107; Dec., p. 67
Intumescent ..... Dec., p. 73
Latex ..... June, p. 63
Marine ..... July, p. 63; Oct., p. 21
Mechanical Stability ..... May, p. 37
Oxidation (Auto-) ..... Oct., p. 39
Performance ..... July, p. 28
Permeability ..... Aug., p. 85
Photooxidation ..... July, p. 28
Powder ..... Apr., p. 23
Primers ..... Apr., p. 47
Protection ..... Oct., p. 21; Dec., p. 81
Reflectivity ..... Feb., p. 39
Rheology ..... May, p. 27; Sept., p. 99
Sample Preparation ..... Feb., p. 23
Stability ..... Mar., p. 57; June, p. 75; Aug., p. 57; Sept., p. 93; Nov., p. 37
Stress ..... June, p. 83
Topcoat ..... Aug., p. 57
Traffic ..... July, p. 51
UV Cured ..... Feb., p. 39; Nov., p. 27
UV Transparency ..... Feb., p. 39
Volatile Organic Compounds ..... May, p. 47
Water ..... July, p. 39
Waterborne ..... Mar., p. 41; May, p. 37; Aug., p. 67; Oct., p. 21; Nov., p. 37; Dec., p. 89
Weathering ..... June, p. 83; July, p. 28; Oct., p. 49
Zinc Oxide ..... Apr., p. 47

Computer Applications

Design of Experiments ..... Mar., p. 65; Apr., p. 55
Relative Statistical Error ..... July, p. 59
Scattergram ..... July, p. 59
Statistical Design ..... May, p. 27

Films

Cratering ..... Feb., p. 23
Cross-Sectioning ..... Feb., p. 23
Crosslink Density ..... Nov., p. 19
Curing ..... Apr., p. 23
Diffusion ..... May, p. 55
Formation ..... Mar., p. 47; Apr., p. 23; June, p. 63; Dec., p. 89
Galvanized Gassing ..... Feb., p. 23
Interfacial Interaction ..... Aug., p. 79
Nubbing ..... Feb., p. 23
Particulate Contamination ..... Feb., p. 23
Pinholing ..... Feb., p. 23
Surface ..... Jan., p. 93

Formulation

Foam ..... Feb., p. 47; Mar., p. 57
Modeling ..... Apr., p. 23; July, p. 28; July, p. 39; Aug., p. 67
Statistical Design ..... May, p. 27

Optics, Color

Distinctness of Image ..... May, p. 47
Gloss ..... Jan., p. 93; May, p. 47; Sept., p. 99

Pigments

1,4-Diketo-3,6-diarylpyrrolopyrroles ..... May, p. 47
Aluminum Trihydroxide ..... Feb., p. 39
Dispersion ..... May, p. 47
Extenders ..... Feb., p. 39
Fillers ..... Feb., p. 39
Flatting Agent ..... Jan., p. 93
Flocculation Resistance ..... Sept., p. 93
Particles ..... Jan., p. 93
Quinacridones ..... May, p. 47
Size ..... Jan., p. 93

Pollution/Health

Hazards ..... July, p. 69
Lead ..... July, p. 69
Lead Abatement ..... July, p. 69
Poisons ..... July, p. 69
Sulphur Dioxide ..... Apr., p. 39

Polymeric Components

Acrylic ..... Jan., p. 99; June, p. 83
Acrylic Emulsion ..... Mar., p. 47
Amine Blocked Sulfonic Acid ..... June, p. 75
Epoxidized Polybutadiene ..... Nov., p. 27
Epoxy ..... Oct., p. 21
Hexamethoxymethylmelamine ..... June, p. 75
Isocyanate (Poly) ..... Dec., p. 67
Melamine ..... June, p. 75; June, p. 83; Dec., p. 73
Urethane (Poly) ..... Mar., p. 47
Water Reducible Acrylic ..... Mar., p. 57

Polymers

Adsorption ..... Aug., p. 67; Sept., p. 99
Colloidal Stability ..... Mar., p. 47
Curing ..... Nov., p. 27
Dispersants ..... May, p. 47
Emulsion ..... June, p. 63
Foam Fractionation ..... Mar., p. 57
Foam Stability ..... Mar., p. 57
Hydrophobically Modified ..... Dec., p. 89
Particle Morphology ..... Mar., p. 47

Polymerization ..... Nov., p. 27
UV Curable Polymers ..... Feb., p. 39
Water Soluble ..... Dec., p. 89

Solvents

Coalescing Aids ..... Aug. p. 67
Diluents ..... Dec., p. 59

Substrates

Coatings Interface ..... July, p. 39
Plastic ..... Sept., p. 93
Roughness ..... Jan. p. 109
Thermoplastic ..... Oct., p. 27; Nov., p. 43
Steel ... Apr., p. 47; July, p. 59; July, p. 63; Nov., p. 43; Dec., p. 81
Wood ..... May, p. 55; Oct., p. 21

Alphabetical Listing of Papers

A

Adsorption in Latex Paints in Relation to Some of the Properties of the Mill Base and the Final Coating—M. Huldén, E. Sjöblom, and A. Saarnak, Sept., p. 99.
Aluminum Trihydroxide (ATH): A UV Transparent Filler for UV-Curable Coatings—A.A. Parker, E.S. Martin, and T.R. Clever, Feb., p. 39.
Aqueous Polyurethanes—Polymer Colloids with Unusual Colloidal, Morphological, and Application Characteristics—R. Satguru, J. McMahon, J.C. Padget, and R.G. Coogan, Mar., p. 47.

C

Chemical Analysis of Painted Thermoplastics by Thermal Degradation GC/MS—W.R. Rodgers, T.S. Ellis, G.D. Cheever, R. Louis-Ferdinand, D.P. Thorton, and N. Somers, Oct., p. 27.
Chemical Criteria for Durable Automotive Topcoats—D.R. Bauer, Aug., p. 57.
Chemical Origins of Paint Performance—R.A. Dickie, July, p. 28.
Chemical Reaction Kinetics of Sulfur Dioxide and Oxygen with Unsaturated Drying Oils—W.H. Simendinger and C.M. Balik, Oct., p. 39.
Chemical Reactivity of Sulphur Dioxide with Unsatuated Drying Oils—W.H. Simendinger and C.M. Balik, Apr., p. 39.
Coatings Characterization Using Multiple Techniques and Statistically Designed Experiments—M. Neag, P. Wilson, and G. Skerl, May, p. 27.
Comparison of the Effectiveness of Electric IR and Other Energy Sources to Cure Powder Coatings—R.J. Dick, K.J. Heater, V.D. McGinniss, W.F. McDonald, and R.E. Russell, Apr., p. 23.
Coping with Errors in Electrochemical Impedance Spectroscopy Data from Coated Metals—W.S. Tait, July, p. 59.
Correlation of Accelerated Exposure Testing and Exterior Exposure Sites—Cleveland Society for Coatings Technology, Oct., p. 49.
Cost-Effective Pigmentation in Alkyd Primers for Steel: Barrier Anti-Corrosion Mechanism—W.C. Johnson, Apr., p. 47.
A Critique of the Taguchi Approach—Part I: A Presentation of Some Deficiencies and How These Limit Its Efficiency and Validity—J.L. McGovern, Mar., p. 65.
A Critique of the Taguchi Approach—Part II: An Alternative that is More Efficient—J.L. McGovern, Apr., p. 55.

D

Defects in Solvent-Free Organic Coatings Studied by Atomic Force Microscopy, Scanning Acoustic Microscopy, and Confocal Laser Microscopy—J. Lange, J-A.E. Månson, and A. Hult, Nov., p. 19.
Developments of Marine Paint Formulations Based on Thiotriazole Compounds—A.B. Tadros, July, p. 63.
The Dynamic Contact Angle—A Characteristic to Predict the Lifetime of a Wood Topcoat—G. Hora, May, p. 55.

E

Effect of Polyurethane Curing Conditions on the Delamination of Pressure Sensitive Films—B.W. Ludwig and M.W. Urban, Dec., p. 59.
Epoxidized Polybutadiene: A Novel Prepolymer for Cationically UV-Curable Coatings—F. Cazaux, X. Coqueret, B. Lignot, C. Loucheux, P. Rousseau, J.J. Flat, S. Leroux, and C. Verge, Nov., p. 27.
Effect of Preweathering, Surface Roughness, and Wood Species on the Performance of Paint Stains—R.S. Williams and W.C. Feist, Jan., p. 109.
Evaluating Traffic Paint Degradation Using Image Analysis—B. Pourdeyhimi and A. Nayernouri, July, p. 51.
Evaluation of Corrosion Behavior of Metal-Filled Polymeric Coatings—N. Kouloumbi, G.M. Tsangaris, and S.T. Kyvelidis, Dec., p. 83.

F

Film Formation from Conventional and Miniemulsion Latex Systems Containing Dimethyl Meta-Isopropenyl Benzyl Isocyanate (TMI®)—A Functional Monomer/Crosslinking Agent—Y. Inaba, E.S. Daniels, and M.S. El-Aasser, June, p. 63.
Foam Stability and Foam Fractionation of Water-Reducible Acrylic Polymer Systems—R. Twite, J. Zhu, and G.P. Bierwagen, Mar., p. 57.

G

Gloss of Paint Films: II. Effects of Pigment Size—J.H. Braun and D.P. Fields, Jan., p. 93.

H

High Performance Polyurethane Coating Systems Utilizing Oxazolidine-Based Reactive Diluents—G.N. Robinson, T.L. Johnson, and M.D. Hoffman, Dec., p. 67.

High-Solids Coatings Using Benzylanilinium Sulfonates—T. Morimoto and S. Nakano, June, p. 75.

High-Solids Nonaqueous Dispersion Coatings Based on Crystalline Oligoesters—G. Teng and F.N. Jones, Feb., p. 31.

Hygrothermal Stress Evolution During Weathering in Organic Coatings—D.Y. Perera and M. Oosterbroek, June, p. 83.

I

Influence of Defoamers on the Efficiency of Waterborne Coating Systems—W. Heilen, O. Klocker, and J. Adams, Feb., p. 47.

Interfaces of Polyphenyletheretherketone (PEEK) and Polyphenylene Sulfide (PPS) Coated Zinc Phosphated Steels after Heating-Cooling Cycles in a Wet, Harsh Environment—T. Sugama and N. Carciello, Nov., p. 43.

K

A Kinetic Study of the Reaction of Epoxidized Rubber and Carboxylic Acids—J.K. Copeland and S.F. Thames, June, p. 59.

M

Mechanical Stability of Alkyd Emulsions—Part 1: Influence of Emulsion Droplet Size and the Emulsifer—G. Östberg, B. Bergenståhl, and M. Huldén, May, p. 37.

Mechanical Stability of Alkyd Emulsions—Part 2: Influence of Alkyd Properties—G. Östberg and Björn Bergenståhl, Nov., p. 37.

Melamine Phosphates and Pyrophosphates in Flame-Retardant Coatings: Old Products with New Potential—E. Weil and B. McSwigan, Dec., p. 75.

Mixed Adsorption of Anionic and Nonionic Surfactants on Latex Particles—M. Huldén and B. Kronberg, Aug., p. 67.

N

A New Sample Preparation Technique for the Examination and Analysis of Paint Film Defects—T.J. Veneri and J.A. Kramer, Feb., p. 23.

Novel Composite Latex Particles for Use in Coatings—G.A. Vandezande and A. Rudin, Jan., p. 99.

Novel Epoxy Resins for Container Waterborne Coatings with Improved Flexibility—D.S. Treybig and D.P. Sheih, Mar., p. 41.

P

Polymers for Water-Based Coatings—A Systematic Overview—J.C. Padget, Dec., p. 89

R

Reduction of Air Bubbles in Spray-Applied Coatings—M.S. Gebhard and L.E. Sciven, Mar., p. 27.

Rheologically Effective Organic Pigments—E.E. Jaffe, C.D. Campbell, S.B. Hendi, and F. Bäbler, May, p. 47.

S

Selection of Corrosion Test Methods Based on Mechanism Principles—Northwestern Society for Coatings Technology, Aug., p. 85.

Silicone Additives for High-Solids Polyester-Melamine Coatings—New York Society for Coatings Technology, Sept., p. 107.

A Study of Water at the Organic Coating/Substrate Interface—T. Nguyen, D. Bentz, and E. Byrd, July, p. 39.

U

Use of Naphthenic Acid Ester as a Dispersing Agent in Aqueous Conductive Primers—J.L. Carmine and R.A. Ryntz, Sept., p. 93

Use of Thermally Stimulated Current to Measure Properties of Coatings—C.A. Kumins, C.J. Knauss, and R.J. Ruch, Aug., p. 79.

W

A Waterborne and Environmentally Benign, Marine Timber Coating—B.G. Dixon and W. Gomes, Oct., p. 21.

Open Forum

Indentation/Penetration Hardness Testing—The Future—M.R. Euverard, Feb., p. 55.

Lead-Based Paint and the Lead Abatement Issue in the United States—Northwestern Society for Coatings Technology, July, p. 69.

Author Index

A

ADAMS, J.—See Heilen, W.

B

BÄBLER, F.—See Jaffe, E.E.
BALIK, C.M.—See Simendinger, W.H.
BALIK, C.M.—See Simendinger, W.H.
BAUER, D.R.—Chemical Criteria for Durable Automotive Topcoats, Aug., p. 57.
BENTZ, D.—See Nguyen, T.
BERGENSTÅHL, B.—See Östberg, G.
BERGENSTÅHL, B.—See Östberg, G.
BIERWAGEN, G.P.—See Twite, R.
BRAUN, J.H. and FIELDS, D.P.—Gloss of Paint Films: II. Effects of Pigment Size, Jan., p. 93.
BYRD, E.—See Nguyen, T.

C

CAMPBELL, C.D.—See Jaffe, E.E.
CARCIELLO, N.—See Sugama, T.
CARMINE, J.L. and RYNTZ, R.A.—The Use of Naphthenic Acid Ester As a Dispersing Agent in Aqueous Conductive Primers, Sept., p. 93.
CAZAUX, F., COQUERET, X., LIGNOT, B., LOUCHEUX, C., ROUSSEAU, P., FLAT, J.J., I EROUX, S., and VERGE, C.—Epoxidized Polybutadiene: A Novel Prepolymer for Cationically UV-Curable Coatings, Nov., p. 27.
CHEEVER, G.D.—See Rodgers, W.R.
CLEVER, T.R.—See Parker, A.A.
COOGAN, R.G.—See Satguru, R.
COPELAND, J.K. and THAMES, S.F.—A Kinetic Study of the Reaction of Epoxidized Rubber and Carboxylic Acid, June, p. 59.
COQUERET, X.—See Cazaux, F.

D

DANIELS, E.S.—See Inaba, Y.
DICK, R.J., HEATER, K.J., MCGINNISS, V.D., MCDONALD, W.F., and RUSSELL, R.E.—Comparison of the Effectiveness of Electric IR and Other Energy Sources to Cure Powder Coatings, Apr., p. 23
DICKIE, R.A.—Chemical Origins of Paint Performance, July, p. 29.
DIXON, B.G. and GOMES, W.—A Waterborne and Environmentally Benign, Marine Timber Coating, Oct., p. 21.

E

EL-AASSER, M.S.—See Inaba, Y.
ELLIS, T.S.—See Rodgers, W.R.
EUVERARD, M.R.—Indentation/Penetration Hardness Testing—The Future, Feb., p. 55.

F

FEIST, W.C.—See Williams, R.S.
FERLAUTO, E.C.—Lead-Based Paint and the Lead Abatement Issue in the United States, July, p. 69.
FIELDS, D.P.—See Braun, J.H.
FLAT, J.J.—See Cazaux, F.

G

GEBHARD, M.S. and SCRIVEN, L.E.—Reduction of Air Bubbles in Spray-Applied Coatings, Mar., p. 27.
GOMES, W.—See Dixon, B.G.

H

HEATER, K.J.—See Dick, R.J.
HEILEN, W., KLOCKER, O., and ADAMS, J.—Influence of Defoamers on the Efficiency of Waterborne Coating Systems, Feb., p. 47.
HENDI, S.B.—See Jaffe, E.E.
HOFFMAN, M.D.—See. Robinson, G.N.
HORA, G.—The Dynamic Contact Angle—A Characteristic to Predict the Lifetime of a Wood Topcoat, May, p. 55.
HULDÉN, M. and KRONBERG, B.—Mixed Adsorption of Anionic and Nonionic Surfactants on Latex Particles, Aug., p. 67.
HULDÉN, M., SJÖBLOM, E., and SAARNAK, A.—Adsorption in Latex Paints in Relation to Some of the Properties of the Mill Base and the Final Coating, Sept., p. 99.
HULDÉN, M.—See Östberg, G.
HULT, A.—See Lange, J.

I

INABA, Y., DANIELS, E.S., and EL-AASSER, M.S.—Film Formation from Conventional and Miniemulsion Latex Systems Containing Dimethyl Meta-Isopropenyl Benzyl Isocyanate (TMI®)—A Functional Monomer/Crosslinking Agent, June, p. 63.

J

JAFFE, E.E., CAMPBELL, C.D., HENDI, S.B., and BÄBLER, F.—Rheologically Effective Organic Pigments, May, p. 47.
JOHNSON, W.C.—Cost-Effective Pigmentation in Alkyd Primers for Steel: Barrier Anti-Corrosion Mechanism, Apr., p. 47.
JOHNSON, T.L.—See Robinson, G.N.
JONES, F.N.—See Teng, G.

K

KLOCKER, O.—See Heilen, W.
KNAUSS, C.J.—See Kumins, C.A.
KOULOUMBI, K., TSANGARIS, G.M., and KYVELIDIS, S.T.—Evaluation of Corrosion Behavior of Metal-Filled Polymeric Coatings, Dec., p. 83.
KRAMER, J.A.—See Veneri, T.J.
KRONBERG, B.—See Huldén, M.
KUMINS, C.A., KNAUSS, C.J., and RUCH, R.J.—Use of Thermally Stimulated Current to Measure Properties of Coatings, Aug., p. 79.
KYVELIDIS, S.T.—See Kouloumbi, N.

L

LANGE, J., MÅNSON, J-A.E., and HULT, A.—Defects in Solvent-Free Organic Coatings Studied by Atomic Force Microscopy, Scanning Acoustic Microscopy, and Confocal Laser Microscopy, Nov., p. 19.
LEROUX, S.—See Cazaux, F.
LIGNOT, B.—See Cazaux, F.
LOUCHEUX, C.—See Cazaux, F.
LOUIS-FERDINAND, R.—See Rodgers, W.R.
LUDWIG, B.W. and URBAN, M.W.—The Effect of Polyurethane Curing Conditions on the Delamination of Pressure Sensitive Films, Dec., p. 59.

M

MARTIN, E.S.—See Parker, A.A.

MÅNSON, J-A.E.—See Lange, J.
McDONALD, W.F.—See Dick, R.J.
McGINNISS, V.D.—See Dick, R.J.
McGOVERN, J.L.—A Critique of the Taguchi Approach—Part I: A Presentation of Some Deficiencies and How These Limit Its Efficiency and Validity, Mar., p. 65.
McGOVERN, J.L.—A Critique of the Taguchi Approach—Part II: An Alternative that is More Efficient, Apr., p. 55.
McMAHON, J.—See Satguru, R.
McSWIGAN, B.—See Weil, E.
MORIMOTO, T. and NAKANO, S.—High-Solids Coatings Using Benzylanilinium Sulfonates, June, p. 75.

N

NAKANO, S.—See Morimoto, T.
NAYERNOURI, A.—See Pourdeyhimi, B.
NEAG, M., WILSON, P., and SKERL, G.—Coatings Characterization Using Multiple Techniques and Statistically Designed Experiments, May, p. 27.
NGUYEN, T., BENTZ, D., and BYRD, E.—A Study of Water at the Organic Coating/Substrate Interface, July, p. 39.

O

OOSTERBROEK, M.—See Perera, D.Y.
ÖSTBERG, G. and BERGENSTÅHL, B.—Mechanical Stability of Alkyd Emulsions—Part 2: Influence of Alkyd Properties, Nov., p. 37.
ÖSTBERG, G., BERGENSTÅHL, B., and HULDÉN, M.—Mechanical Stability of Alkyd Emulsions—Part 1: Influence of Emulsion Droplet Size and the Emulsifier, May, p. 37.

P

PADGET, J.C.—Polymers for Water-Based Coatings—A Systematic Overview, Dec., p. 89
PADGET, J.C.—See Satguru, R.
PARKER, A.A., Martin, E.S., and Clever, T.R.—Aluminum Trihydroxide (ATH): A UV Transparent Filler for UV-Curable Coatings, Feb., p. 39.
PERERA, D.Y. and OOSTERBROEK, M.—Hygrothermal Stress Evolution During Weathering in Organic Coatings, June, p. 83.
POURDEYHIMI, B. and NAYERNOURI, A.—Evaluating Traffic Paint Degradation Using Image Analysis, July, p. 51.

R

ROBINSON, G.N., JOHNSON, T.L., and HOFFMAN, M.D.—High Performance Polyurethane Coating Systems Utilizing Oxazolidine-Based Reactive Diluents, Dec., p. 67.
RODGERS, W.R., ELLIS, T.S., CHEEVER, G.D., LOUIS-FERDINAND, R., THORTON, D.P., and SOMERS, N.—Chemical Analysis of Painted Thermoplastics by Thermal Degradation GC/MS, Oct., p. 27.
ROUSSEAU, P.—See Cazaux, F.
RUCH, R.J.—See Kumins, C.A.
RUDIN, A.—See Vandezande, G.A.
RUSSELL, R.E.—See Dick, R.J.
RYNTZ, R.A.—See Carmine, J.L.

S

Saarnak, A.—See Huldén, M.
Satguru, R., McMAHON, J., PADGET, J.C., and COOGAN, R.G.—Aqueous Polyurethanes—Polymer Colloids with Unusual Colloidal, Morphological, and Application Characteristics, Mar., p. 47.
SCRIVEN, L.E.—See Gebhard, M.S.
SHEIH, D.P.—See Treybig, D.S.
SIMENDINGER, W.H. and BALIK, C.M.—Chemical Reaction Kinetics of Sulfur Dioxide and Oxygen with Unsaturated Drying Oils, Oct., p. 39.
SIMENDINGER, W.H. and BALIK, C.M.—Chemical Reactivity of Sulphur Dioxide with Unsaturated Drying Oils, Apr., p. 39.
SJÖBLOM, E.—See Huldén, M.
SKERL, G.—See Neag, M.
SOMERS, N.—See Rodgers, W.R.
SUGAMA, T. and CARCIELLO, N.—Interfaces of Polyphenyletheretherketone (PEEK) and Polyphenylene Sulfide (PPS) Coated Zinc Phosphated Steels after Heating-Cooling Cycles in a Wet, Harsh Environment, Nov., p. 43.

T

TADROS, A.B.—Developments of Marine Paint Formulations Based on Thiotriazole Compounds, July, p. 63.
TAIT, W.S.—Coping with Errors in Electrochemical Impedance Spectroscopy Data from Coated Metals, July, p. 59.
TENG, G. and JONES, F.N.—High-Solids Nonaqueous Dispersion Coatings Based on Crystalline Oligoesters, Feb., p. 31.
THAMES, S.F.—See Copeland, J.K.
THORTON, D.P., See Rodgers, W.R.
TREYBIG, D.S. and SHEIH, D.P.—Novel Epoxy Resins for Container Waterborne Coatings with Improved Flexibility, Mar., p. 41.
TSANGARIS, G.M.—See Kouloumbi, N.
TWITE, R., ZHU, J., and BIERWAGEN, G.P.—Foam Stability and Foam Fractionation of Water-Reducible Acrylic Polymer Systems, Mar., p. 57.

U

URBAN, M.W.—See Ludwig, B.W.

V

VANDEZANDE, G.A. and RUDIN, A.—Novel Composite Latex Particles for Use in Coatings, Jan., p. 99.
VENERI, T.J. and KRAMER, J.A.—A New Sample Preparation Technique for the Examination and Analysis of Paint Film Defects, Feb., p. 23.
VERGE, C.—See Cazaux, F.

W

WEIL, E. and McSWIGAN, B.—Melamine Phosphates and Pyrophosphates in Flame-Retardant Coatings: Old Products with New Potential, Dec., p. 75.
WILLIAMS, R.S. and FEIST, W.C.—Effect of Preweathering, Surface Roughness, and Wood Species on the Performance of Paint and Stains, Jan., p. 109.
WILSON, P.—See Neag, M.

Z

ZHU, J.—See Twite, R.

Constituent Society Papers

Correlation of Accelerated Exposure Testing and Exterior Exposure Sites—Cleveland Society for Coatings Technology, Oct., p. 49.
Lead-Based Paint and the Lead Abatement Issue in the United States—Northwestern Society for Coatings Technology, July, p. 69.
Selection of Corrosion Test Methods Based on Mechanism Principles—Northwestern Society for Coatings Technology, Aug., p. 85.
Silicone Additives for High-Solids Polyester-Melamine Coatings—New York Society for Coatings Technology, Sept., p. 107.